Food and Drug Administration Center for Food Safety and Applied Nutrition Office of Special Nutritionals

ARMS#

12851



0-FRONT



For VOLUNTARY reporting
by health professionals of adverse
events and product problems

Page 1 of 2 VAN-GSAC

Triage unit S0867

See OMB statement on reverse

III PER MERITARE PROPERTY.				W V			
A. Patient information			spect medic				
Patient Identifier 2. Age at time 3.	. Sex 4. Weight	I. Name (gave labeled strength	8 mfr/lab	eler, il known)	· Moduce	15 - 15
of event; 22	femalebs	#1 1	ipped Force	532			
Date	X male 89.1	#2			Wa	lterboro,	, SC 29488
In confidence of birth:	kgs		requency & route u	sed.	3 Therapy dat		n, give duration)
B. Adverse event or product problen		#1 =	32 ml		1	:dimate) -31–98	
. (28)	g , defects/malfunctions)	ا	,, u.,				
2. Oulcomes attributed to adverse event (check all that apply)		#2	-1- 6-4 10-4 13-4141-		H2.	5 Eventuho	ated after use
death congenital a			sis for use (indicate				or dose reduced
	ervention to prevent impairment/damage	" <u>n</u>	one - suppl	ement	· · · · · · · · · · · · · · · · · · ·	#1 yes [X no □doesn't
hospitalization initial or prolonged other:		#2				#2 yes	doesn't
3 Date of 4. Date of		6 Lot#(il	(known)	7. Exp.∢ #1	date (if known)	9 Event see	appeared after
event 3-31-98 this report (mordaylyr)	4-8-98]				reintrodu	
5 Describe event or problem		#2		#2		III yes	no X doesn't
Patient collapsed at health clu		9. NDC #	(for product problem	s only)		#2 yes [no doesn't
lifting weights. Ventricular		10. Cone	omitant medical pro	oducts an	d therapy dates (1 — -	
cardiac arrest and seizure. Pa			merican Boo				·
currently unresponsive with hyperocephalopathy.	PORTC	W	alterboro,				27-0627
"Ripped Force" was consumed the	e day the		bone Rx:				
patient collapsed, according to		l L P	atient on t	neoph	ylline (v	ventolin	ı, - dose
-			uspect medic	cal dev	vice		:
This "supplement" contains:		1. Brand	name				
ephedrine 340 mg		2. Type o	of device				
caffeine 1000 mg		0 41	XXXX	Indos		4. Opera	ator of device
potassium 90 mg			a) und kalus grade	11.600		· · · · · ·	ealth professional
			. 0 0 4002				y user/pationt
		AT	K 0 9 1998			ot	ther:
				_		1	
		QF	CEIVE	$\mathbf{D}_{\mathbf{x}}$			ration date
		6.		Ti	λ	(mo/da	ıyıyr
		model #		·	$\overline{}$	7 15 1000	planted, give date
6 Relevant tests/laboratory data, including dates		Catalog #				(midde	ià/ài) Signiael Sisa eige
3-31-98 Theophylline = 11.0		serial #	/l-/ 🛱	FOL	ルたし		
		lot #		∖l. LDD-Ω	2 2008	8. If exp	planted, give date wyyn
Drug screen positive for opiat	es	11	11	APICZ	2-1998		
		9. Devic	e available for eval	uation?	(Do not se	end to FDA)	
		11 '	es To	-	eturned to manuf	actyrer on	(molday/yr)
		10 Con	comitant medical p	oducis a	nd therapy (ales	(exclude treati	
		41	\checkmark	SIT	TODY		
 Other relevant history, including preexisting medical race, pregnancy, smoking and alcohol use, hepatic/renal 	conditions (e.g., allergies, dvefunction, etc.)						•
	,	FB	eporter (see	confide	ntiality secti	an on back	4)
Hx: Asthma			e, address & phon		_		
Meningitis							
							-
				O	Prior	4 Also re	ported to
		JI	th professional? 3	. Occup Pharm		1 —	nanufacturer
Mail to: MEDWATCH	or FAX to:	X					iser (acility
5600 Flahers Lane Rockville, MD 20852-978	1-800-FDA-0178 17	5 If yo	ou do NOT want you manufacturer, plac	ur identity o an "X"	disclosed to in this box.	1 =	istributor

Manufactured of Death whealby?
American Body Building Moducts
Walterbord, SC USA 29488
1-800-627-0627
ware-getting.com.

Derections: Begin drinking Ripped Force 20 men B4 workout + court to sep during workout. Finish 15 min B4 training completed

Ing: H2O, maitedantin, Hi Fruetose Com symp.

Citystelline Frectose, Netwert & Arthreal Flevers

(Flavors, modified food Sterch, glycerol enters of wood rosin,

Brominated vegetable oil), guarana, citric acid, ma Huang,

L-Carnitane; phosphoric acid, k+ sorbate (antimicrobial agent)

K! benzoate (preservate) Aspartame, Vit C, k+ Glucoust,

Hiacin, Inositel, Choline Cl., Chromium picolinate.

Ha Huang, 62 Ephedrice (Ephedra Sinica) (leas) 34 mg
Guerona, 10% Caffeine (Paillinia Cupane) (fruit) 1000 ng

Above drink used day pt collapsed.



٠	COMPLA //INJURY REF	PORT	2. DATE OF COMPL 4-23-9	AINT (Month/Day/Year)		
3. FORM OF COMPLAINT	(1) 只 TELEPHONE (2) □ LETTER (3) □ VISIT	4. SOURCE OF COMPLAINT	(2) GOVERNMENT (4)	MENT (4) XXOTHER		
5. COMPLAINANT IDENTIFICATION	a. NAME AND ADDRESS (Include Zip Code)		b. AREA CODE AND TO HOME () WORK (ELEPHONE NUMBER		
6.	a. DESCRIPTION OF COMPLAINT/INJURY A 22 yr old male suff 3-31-98 after consumi					
COMPLAINT OR INJURY				MPLAINANT EXPECT IAL FDA CONTACT? (2) YES (Explain in Remarks)		
7. INJURY OR ILLNESS RESULTED (1) □ NO	a. b. TYPE SYMPTOMS ONSET (HR.) EIB (HFC-161) NOTIFIED ONSET (HR.) 1. □ VOMITING PROFESSIONAL (1) □ NO (2)元 YES (If "yes" give name, address, and phone number) ONSET (HR.) C. ATTENDING HEALTH PROFESSIONAL (1) □ NO (2)元 YES (If "yes" give name, address, number and dates)					
(2) ☑ YES (if "yes" complete Items a through d)	(1) NO 5. SKINÆYEIRR.					
8. PRODUCT AND LABELING	a. BRAND NAME Pipped Force c. SIZE AND PACKAGE TYPE 1/18 fl. oz. bottle e. PACKAGE CODE/SERIAL NUMBER/ETC.	d. NAME AND LOCAT Unknown	ding Food Suppleme			
	unknown EXP/USE BY DATE:	f. DATE PURCHASED unknown	g. PRODUCT USED (If "yes" enter date) (1) \(\sum \) NO \((2) \(\sum \) YES	h. AMT REMAINING		
9. MANUFACTURER/ DISTRIBUTOR OF PRODUCT	ATL-DO Amei	and location of firm (rican Body Bu terboro, SC 2	d. IMPORT PRODUCT (1)			
10.	(1) CODE (2) DESCRIPTION (C. DISPOSITION (1) IMMEDIATE FOLL (2) FAU NEXT EI (3) CLOSED WITHOUT	FURTHER	E		
AND DISPOSITION	(1) ☐ NOT AN FOA OBLIGATION (2) ☐ OBLIGATION, NO VIOLATION (3) ☑ FDA ACTION INDICATED	INVESTIGATION (4) REFERRED TO OTH AGENCY (Close: (5) REFERRED TO STA AGENCY (Close: (6) REFERRED TO OTH FDA DIST	IER FEDERAL 12. INFORMATION S File) TE/LOCAL	D-730 HFC-181/3/		
REMARKS			See Pouting of on marrow of	Nub/18		
NAME AND TITLE	Margaist A	Smithe	DATE	000003		
ORM FDA 2516 (1/90)	Margarof A Smither	re-CSO	14-24-98	*U.S. GPO: 1992-312-206/61727		

146 · 64			147 115			1. co	MPLAINT NUM	IBER	
COMP		URY FOLLO				77	N-6540		
2. ACTION REQUESTED (1) INVESTIGATION (2) COLLECT SAMPLE (3) INSPECTION (4) OTHER	·	KS (Additional det	tails)	Va) DATE	REQUESTE	D 1/41 0	RODUCT NAM	E	
(b) REQUESTING OFFICIAL'S NAME AND				1	REQUESTE				
Margaret A. Smithers,		a) DUE BY		ASAP			ipped For (a) SAMPLE	rce NUMBER(s)	
3. ASSIGNED TO: Margaret A. Smithers		a, 50c 5.		4. AC (1) 1 2 (2) (3) (4) (4)	TION TAKEN INVESTIGA SAMPLE C INSPECTION NONE	ATION OLLECTED	None	•	
(b) DESCRIPTION OF ACTION TAKEN					,				
See attached Memo									-
								8- NN 86.	RECEIVE CLINICAL RES & REVIEW/OSKI
			~_					P2:27) [ANC:/ HFS-452
(c) ACTION OFFICIAL'S NAME AND TITL	E 1/1/4/2	and to S.	mil	The second	(d) ACTION DIS	TRICT (e) DATE CO	MPLETED
Margaret A. Smithers.	CSU /1					KAN-6540		6-1-9	18
5. MANUFACTURER/DISTRIBU	TOR / DEALER RI	ESPONSIBLE	6.	OPERATIO	- I/	PROGRAN) PRODUCT	CODE
(a) HOME DIST. (C) NAME AND ATL-DO Americ		uilding Pro	1		JN (21R301	1	54FCT(
	boro, SC		(d)	EMP. HON	ME DIST.	(e) EMP. NO.	(1	f) POS CL.	(g) HOURS
1061110				KAN		264		2	791/2
7. EVALUATION		8.		FINAL DISF					0 CONES TO
(0) PENDING (1) NO ACTION INDICATED	(NAI)	(1) 🗆 FOLI	.OW-UP NI	EXTEI (5) 🗌 IN.	JUNCTION/PRO	SECUTION	9. INF	O. COPIES TO
(2) UOLUNTARY ACTION IN	IDICATED (VAI)	(2) 🗆 WAF	RNING LET	TER (FERRED TO OT			
(3) ☐ OFFICIAL ACTION INDIC		(3) 🗆 CITA	TION	(ndicate Agency :CALL	in kemarks)		_
(5) REFERRED TO HOME DI					- -				-
(6) 🗇 INSUFFICIENT INFO. UN	ABLE TO EVAL.	(4) 🗆 SEIZ	URE	((8) 🔲 NG	O ACTION] HFZ-343
REMARKS ATZ-DO", FY	1. pauly	250					`	7	HFC-164
NAME AND TITLE OF DISPOSITION OFF	ICIAL	DIS	POSITION			DISPOSITIO	N DATE		
FORM FDA 2516a (1/90)		1					±U.S.GPO:199	1-0-312-206/4	1637


Adverse Event Questionnaire

Complaint Number: <u>KAN-6540</u>		I	nvestigator: Margaret A. Smit
	Consumer Informa	ation	
Date of Report: 4-23-98 MM/DD/YY	Initial Report Sour	respondence	⊡MedWatch
Name:	Gender: □F	₽M	Age: 22
Race: 101-White 02-Black 03-Asian/Pac	cific Islander □4-Na wn	ative American	□5-Hispanic
Inforr	nation on Adver	se Event	
Date of Adverse Event: 221_08 Previous Adverse Effects to Product Type: OYes ONo Tinknown, in Come	Give the site office):	of consumption	n/ingestion (e.g. home, restaurant,
The following information relates to the o	onsumers' use of t	he product.	
Describe the adverse event (including symptoms consumer collapsed during the long did the symptoms last? Conting Give the circumstances of exposure (i.e. how taken, etc.). Ripped force was continues a week. List all Medication(s), Dietary Supplement(s) Theo-Dur, Ventolin, Tyle Did event abate after use of suspected production of Did symptoms reoccur after using other production of Applicable	workout affines remain which was taken, honsumed at rate. Food(s), and other encluct stopped or dose suspected product: lucts with the same in	ter using in veget ow was the proceed of 1 to product(s) used reduced: The product(s) used reduced: The product(s) of the product(s) used reduced: The product(s)	Ripped Force Drink. Lative coma. Doduct taken, how often was it Do 3 bottles three datthetime of the event: DINO QUnknown
	Medical Informat	tion, ,	
Was a health care provider seen?: □Yes XDN Give health care provider's name, address a		r:	
Occupation of Health Care Provider: □MD ⊠Other (s	□Osteopath □Na specify) <u>Hospita</u>	turopath □Nu	urse @Pharmacist
What medical tests were performed and what bloodwork, EFG, EFG What was the medical diagnosis? Cardiac What treatment(s) was given (e.g., drugs, of CPF a Shocked E barren de	hearrest and h	ypoxic en	CT, urinalysis,
CPR, Shocked 5 times, in Lidocaire any preexisting condition(s)/treat	trbated, stem ment(s)?	ech tube,	Morphine, Epinephrine,

75: 29 8- NUL 86.

∰Yes □No

(If YES, list them including allergies, and chronic diseases):



Permanent impairment occursed Did the adverse event result in a congenital anomaly: Dyes xixno



DEPARTMENT OF HEALTH & HUMAN SERVICES

U.S. PUBLIC HEALTH SERVICE

U.S. FOOD & DRUG ADMINISTRATION

MEMORANDUM

DATE

: April 23, 1998

To

: File - KAN6540

Firm:

CFN:

FROM

Margaret A. Smithers, Investigator

SUBJECT: Follow-up Investigation

On 4-23-98, WCH-RP received a telephone call from

who reported a 22 year old male who remained in a vegetative coma after a collapse 3-31-98 at patient had collapsed, suffered seized, ventricular fibrillation/cardiac arrest, and remained unresponsive with hypoxic The patient, according to his friends, had encephalopathy. consumed a bottle of Ripped Force, a body-building supplement. The hospital had filed a Medwatch form, copy of which is attached as Exhibit 2. A bottle of Creatine body-building supplements had been found in the patient's gym bag.

DATE: JUNE 2, 1998

TO: HFS-635, -636, -452, HFC-134 & DIB/HFR-SE150

This memo and attachments are the results of KAN-DO F/U to the complaint involving the reaction of an individual to the product "Ripped Force," including affidavits from appropriate knowledgable physicians, mother and "friend" attesting to circumstances and medical condition (cause and diagnosis).

Robert R. Wilson/SCSO/HFR-SW350

O: ATL-DO/HFR-SE150: DIB (all) cc: KAN Complt file - KAN6540 (all)

cc: HFC-134/Mark Fow (all) cc: HFS-635/Bridgette Wallace (all)

cc: HFS-636/Brenda Aloi (memo only)

cc: HFS-452/Lori Love (memo only)

cc: W-RP (memo) cc: R/F (memo)

75: 29 8- NUL 86.

The Medwatch form states the patient had collapsed while lifting weights. The diagnosis is ventricular fibrillation/cardiac arrest and seizure and unresponsive with hypoxic encephalopathy. The friends of the patient had reported to hospital officials he had consumed Ripped Force the day he collapsed. The ingredients of the supplement were: ephedrine 340 mg, caffeine 1000 mg, and potassium 90 mg. Medications and drugs found in the patient's system were Theophylline and opiates. The medical history of the patient included asthma and meningitis. A bottle of Creatine had been found in the patient's gym bag the day of his collapse.

The Ripped Force labeling provided to the hospital by the patient's friend reads in part "***Manufactured and Distributed by: AMERICAN BODY BUILDING PRODUCTS Walterboro, SC USA 29488 1-800-627-0 6 2 7 * * * Phenylketonurics: Contains phenylalanine***Diabetic/Hypoglycemics: Use only physician's supervision***Directions: Begin drinking RIPPED FORCE 20 minutes before your workout and continue to sip during the Finish drinking 15 minutes before training is completed.***Supplement Facts Serving Size 1 Bottle (532 ML/18 FL. OZ) Amount Per Serving Calories 90 Total Fat 0 g Total Carbohydrate 23 g Sugars 12 g Protein 0g Vitamin C (as ascorbic acid) 2 mg Niacin 10 mg Phosphorus (as phosphoric acid from maltodextrin) 60 (as picolinate) 200 mcg Sodium (from water, mcg Chromium maltodextrin and flavor) 65 mg Potassium (assorbate, benzoate and gluconate, from maltodextrin) 90 mg Ma Haung, 6% Ephedrine (Ephedra sinica) (leaf) 340 mg Guarana, 10% Caffeine (Paullinia Cupana) L-Carnitine 250 mg***INGREDIENTS: 1,000 mg MALTODEXTRIN, HIGH FRUCTOSE CORN SYRUP, CRYSTALLINE FRUCTOSE, NATURAL AND ARTIFICIAL FLAVORS (FLAVORS, MODIFIED FOOD STARCH, GLYCEROL ESTERS OF WOOD ROSIN, BROMINATED VEGETABLE OILO, GUARANA, CITRIC ACID, MA HUANG, L-CARNITINE, PHOSPHORIC ACID, POTASSIUM SORBATE (ANTIMICROBIAL AGENT), POTASSIUM BENZOATE (PRESERVATIVE), ASPARTAME, ASCORBIC ACID, POTASSIUM GLUCONATE, NIACIN, INOSITOL, CHOLINE CHLORIDE, CHROMIUM PICOLINATE. *** Copy of the labeling provided to the hospital is attached as Exhibit 1.

FDA 482, On 4-24-98 I visited , Vice-President, Notice of Inspection, was issued to The following hospital employees were present Administrations. during the meeting and provided information: R.N., Care Coordinator; and Worker. On 4-27-98, I completed my investigation at the hospital and meeting with Risk Management Coordinator. The patient is Mr. Attached as resided with his parents,

Exhibit 3 is a copy of the medical records for patient, provided by the hospital.

the

The paramedic's report included the following:

Patient was working out when he collapsed. A friend reported he had completed three sets of exercise and gone to get a drink of water. The patient had been laughing and had not complained or displayed any signs of respiratory distress. The friend went to get a drink of water. When he returned, he found the patient lying on the floor in a seizure. Two off-duty RN's initiated CPR after assessing the patient was in cardiac arrest. The patient was described as well nourished and muscular, cyanotic with light purple tinge about his clavicles. No trauma was noted. The patient was pulse less and apneic. Pupils were dilated. Vomitus was found in the airway. Patient was Drugs administered were Epinephrine, shocked 5 times. Lidocaine, and Atropine. Patient was intubated and given The patient was transported to an IV.

The Emergency Room medical records report:

Crackles and wheezing was observed upon admission to the emergency room. Patient was on a ventilator. Patient had suffered cardiac arrest and not responsive.

The patient was admitted to the hospital. Hospital medical records reveal the following:

Patient remained comatose. Stomach tube for feeding was surgically inserted. Occupation therapy was administered. On 4-8-98 the patient opened his eyes but did not follow verbal commands. The patient did not appear to recognize family and friends. Patient was restrained except when family members were in his room due to his involuntary movements.

The echocardiogram report by reported "the left atrial dimensions within normal limits with left atria diameter measured at 2.85 c.m. Normal morphology of the mitral valve leaflets were found with no trace mitral insufficiency and no evidence for stenosis. Mild left ventricular dilation with left ventricular end diastolic diameter measured at a5.81 cm. The upper limits of normal being 5.6 cm. Moderate global hypokinesis is present with ejection fractions calculated from 43% to 47% and estimated ejection fraction closer to 35%-40%. No evidence for delayed diastolic relaxation is present. Dense aortic root with

normal morphology and function of the aortic valve leaflets. No evidence for intracardiac mass or thrombi. No evidence for pericardial effusion. See Exhibit 3, Page 60.

The operation report of placement of a Camino subarachnoid screw and ICP monitor reported "***At the time of the admission, the patient was unresponsive, but was opening his eyes, and would track, but would not do anything to commands and moved all four extremities well with good strength, requiring restraint; although initially he was obtunded, he had come to that point. Now however, seven days after the event, the patient was noted to be less responsive, no longer tracks and was noted to have a decerebrate posturing. Because of this and the question of increased ICP, recommended for ICP monitor.***.

The operation report of _________, M.D., surgeon, with diagnosis of dysphagia secondary to sudden death syndrom and cerebral nervous system injury, addressed placement of esophagogastroduodenoscopy and percutaneous endoscopic placement of gastrostomy tube. See Exhibit 3, Page 69.

Inpatient Summary Report printed 4-8-98 provides analytical records with Urine Drugs of Abuse Screen for Opiates, Positive, >300 ng/mL. The report has a disclaimer, "No Chain of Custody". See Exhibit 3, Page 103.

The Diagnostic Imaging Report dated 3-31-98 found "***CT of the brain without contrast shows some diffuse edema throughout the supratentorial brain. The cisternal spaces appear fairly well maintained. There is decreased density noted in both occipital lobes, the left more so than the right which is consistent with ischemia in these locations. No evidence for hemorrhage, mass, or extra-axial collections is seen. The visualized portions of the paranasal sinuses are clear.***IMPRESSION: 1. There is some diffuse edema throughout the supratentorial brain with the cisternal spaces appearing fairly well maintained. 2. Low density seen in both occipital regions, left greater than the right which is consistent with ischemic events in these locations.***" See Exhibit 3, Page 122.

The Diagnostic Imaging Report for the chest AP/PA only dated 3-31-98 found "***The patient is intubated with the tip of the ET tube 2 cm proximal to the carina. Heart size and pulmonary vascularity are normal. There is some patch density in the right middle lobe consistent with a small area of atelectasis or infiltrate. The lungs are otherwise clear.***IMPRESSION: 1. ET tube tip as above. 2. There is some density in the right middle lobe consistent with a small area of atelectasis and/or infiltrate.***" See Exhibit 3, Page 3.

April 23, 1998 Subject - KAN6540 Page 5 The Neurodiagnostics Report of Electroencephalogram Study dated 4-1-98 found "***EKG monitor showed sinus tachycardia.***IMPRESSION: Abnormal EEG showing significant amount of background suppression. Constant with post arrest encephalopathy. There is no evidence of seizure.*** See Exhibit 3, Page 150. The remaining portion of the patient's urine sample collected day of collapse for drug screen was shipped to by hospital personnel per FDA/CFSAN request. On 4-24-98, I met with Mr. mother, during her visit with her son at the hospital. Mrs. home She address is signed the Medical Records Release which is attached as Exhibit 11. reported the following: Her son worked for collapse during his workout at the gym. treatment for asthma began before he was three had a respiratory arrest at age 10 and years old. meningitis when he was 6. His asthma treatment included Theo-Dur tablets twice a day and a Ventolin inhaler as was supposed needed and before and after exercise. to use the inhaler daily, four times a day. had not been taking any pain medications on a regular basis. He had taken Tylenol a couple of days before his collapse for a headache and had used his inhaler to relieve asthma Prescription medication he was using included Theo-Dur 300 mg twice daily, Ventolin (Albuteral U.S.P. manufactured by Glaxo-Welcome), and Atrohist Plus SR.

had gotten off work at 4:30 p.m. and gone to the gym to workout.

working out with him, told me had been lifting weights and had went down to pick up more weights and someone saw him stumble. Ambulance personnel performed CPR and shocked with paddles.

consumed protein milk shakes several times a day at home and took vitamins and mineral supplements.

physician.

affidavit is attached as Exhibit 4. Mrs.

provided me the bottle of Creatine product which was found in
gym bag the day of his collapse. On the night of 4-24-98,
I visited Mr.

parents and the following vitamins,

minerals, and body building supplements were provided to me by his parents:

1. Creatine

Cybergenics Quick Trim 1

- 3. Cybergenics Quick Trip Quick Time 2
- 4. Cybergenics Quick Trim Complex 3
- 5. GNC Times Release Mega Man
- 6. Joe Weider Dynamic Fat Burners
- 7. Chocolate Whey Isolated Glutamine Peptide Protein

Labeling of these products are as follows:

Partial bottle of Prolab Nutrition Chocolate Whey Protein 1. "***8026J31 01/00***ADVANCED labeling in part ABSORPTION WHEY PROTEIN PROLAB NUTRITION IMPROVED ENHANCED FORMULA Chocolate Whey IONIZED WHEY, HYDROLYZED WHEY ISOLATE & GLUTAMINE PEPTIDES Protein The Athlete's #1 Muscle Protein Building Advanced in Choice POUNDS***907.2 GRAMS***Nutrition Facts Serving size: 31.5gm (approx. 1 scoop) ***Amount per serving Calories Calories from Fat 16***Total Fat 1.5 gm 2% Saturated Fat .75 gm 6% Cholesterol 45 mg 15% Sodium 55 mg 2% Total Carbohydrate 3.5 gm 1% Dietary Fiber 0.5 gm 2% Sugars 1 gm Protein 24 gm Vitamin A <2% Vitamin C <2% Calcium 18% Iron 2%***Based on a 2000 calorie diet.***Ingredients: Pure ion exchanged, micro ultra filtered whey protein concentrate (Beta Lactoglobulin 18,000 MW/49%, Alpha lactoalbumin 14,2000 MW/23%, Glyco Macro Peptides 16,5000 MW/20%, Bovine Albumin 69,000 MW/4%, Protease Peptone Partially <1%), Peroxidase Lactoferrin <1%, Lacto hydrolyzed whey protein isolate (Beta lactoglobulin 25,000 MW/55%, Alpha lactoalbumin 15,200 MW/27%, Immunoglobulin 16,500 MW/12%, Bovine Serum Albumin 50,000 MW/5%, Protease Peptone <1%, Lactoferrin <1%, Lacto Peroxidase <1%), Glutamine Peptides, Cocoa Powder (Dutch Process), Natural & Artificial flavor, Lechithin, Acesulfame Potassium, Aspartame*PHENYLKETONURICS: contains phenylaline***Typical Amino Acid Profile per 100 grams of protein L-Alanine 4.8 gm L-Arginine 2.3 gm L-Aspartic Acid 10.2 gm L-Cystine 1.2 gm L-Glutamic Acid 17.2 gm, L-Glycine 2.0 gm, L-Histidine 1.6 gm L-Isoleucine 8.4 gm L-Leucine 10.5 gm L-Lysine 9.1 gm L-Methionine 1.6 gm L-Phenylalanine 3.1 gm L-Proline 6.1 gm L-serine 5.2 gm L-Threonine 6.2 gm L-Triptophan 2.1 gm L-Tyrosine 2.4 gm L-Valine 6.0 gm***There are many proteins on the market for you to choose from, so why choose Prolab Nutrition's Advanced Why protein? Allow us to tell you why. We have taken our pure ion exchanged whey protein

> concentrate and used it to build the newest, most perfectly developed protein you will find anywhere. We have enhanced our pure ion exchanged why with glutamine peptides and hydrolyzed whey isolate (ISO 94) to bring you the most rapidly absorbed protein formula on the market. Glutamine peptides are popular among athletes due to its ability to increase muscle cell volumization and endurance. Increases in muscle size and endurance are often associated with use Hydrolized whey isolate glutamine peptides. specially filtered whey protein isolate enzyme treated to form high concentrations of whey peptides. Peptides are links of amino acids in the protein that are more rapidly and more easily absorbed. This advanced formula ends up having the highest bioavailibility of ANY protein. Advanced Whey is manufactured using a concentrated cold spray drying method and a series of filtration steps that includes cross and micro ultra filtering. This protects the protein from damaging heat and also promotes maximum nitrogen retention to create the best environment for muscle anabolism, making this formula ideal for pre-contest Advanced season training. off well as highlights: ***is enhanced with hydrolyzed whey isolate (ISO 94) that contains rapidly absorbed peptides which have been shown to enhance the anabolic environment of muscle tissue *** is enhanced with Glutamine Peptides for enhanced muscle cell volume and performance *** contains no denatured protein***has a BV rating as high as 159***has a 68% greater nitrogen retention level *** is much better absorbed and utilized by the body***contains no purines. Purines are precursors to uric acid and may cause joint soreness*** contains high levels of BCAA's which have a muscle sparing lactose free - will not cause gastric effect***is distress***mixes instantly***Suggested Use: Use one or two servings (one or two scoops) per day. Each serving should be mixed with 6 - 8 ounces of your favorite beverage. serving is recommended after strenous exercise. This product mixes easy with a spoon, but may also be blended with fruit and ice. ***The protein is this bottle is pure protein of only the highest quality. No fillers or sugars Formulated and manufactured for: PROLAB NUTRITION 11 Britton Drive Bloomfield, CT 06002 (860)769-5550***100% NATURAL***

Partial bottle of Dynamic Fat Burners Dietary Supplement with labeling in part "***DIETARY SUPPLEMENT Joe Weider DYNAMIC FAT BURNERS 250 CAPLETS With CHROMIUM PICOLINATE and THERMOGENIC HERBS***NUTRITION INFORMATION: Each serving (2 caplets) provide: Chromium (picolinate) 200 mg Choline Bitartrate 400 mg Inositol 200 mg dl-Methionine 75 mg

3.

Psyllium Seed Husks 500 mg Cinnamon Powder 300 mg Mustard Seed Powder 300 mg Uva Ursi Extract 50 mg (min. 20% Cayenne 15 mg (oleoresin extract: min. 30,000 SHU) Additional ingredients: Cellulose, Calcium Carbonate, Silica ***Manufactured and distributed by Weider Nutrition Group Salt Lake City, Utah 84104 1-800-I-FLEX-IT***DYNAMIC FAT BURNERS are loaded with Chromium Picolinate (today's hottest diet supplement), Psyllium fiber and the latest thermogenic herbs. Plus lipotropic factors such as choline and inositol to promote the transportation and utilization of fats. SUGGESTED USE Take 1 or 2 caplets with your first meal of the day as a dietary supplement. On workout days, take 1 or 2 tablets 60 minutes prior to workout. NOTE: If you are pregnant, lactating or on prescribed medication, consult your physician before using. KEEP OUT OF THE REACH OF CHILDREN. DIABETICS/HYPOGLYCEMICS: Use only under a physician's supervision.***NL1445A***"

Partial bottle of GNC Timed Release Mega Men Multiple Vitamin and Mineral Supplement with labeling in part "***MEN'S***GNC TIMED RELEASE MEGA MEN The Premium Multiple Vitamin and Mineral Supplement Formulated for Men With Nutra Seal Freshness Coating Natural Base High Potency 200 TABLETS***No Sugar No Artificial Colors No Preservatives Sodium Free No Wheat, No Dairy***Distributed by General Nutrition Corporation Pittsburg, PA 15222 USA***DIRECTIONS: As a dietary supplement, take two tablets daily. TABLETS CONTAIN: ANTIOXIDANT SUPPLEMENTS Vitamin A (beta-Carotene 15,000 IU Vitamin A (Acetate) 5,000 IU Vitamin E (d-alpha Tocopheryl Acetate) 100 IU Vitamin C (Ascorbic 300 mg Selenium (Selenium Yeast) 25 mcg Citrus Bioflavonoids 25 mg Superoxide Dismutase (SOD) 10 mcg Pyconogenol 1 mcg HAIR SUPPLEMENTS Biotin 250 mcg Silica (Silicon Dioxide) 10 mcg Inositol 10 mg L-Cystine 100 mg MALE SUPPLEMENT Zinc (Zinc Oxide) 50 mg Copper (Copper Oxide) 2 mg Oyster Extract 50 mg Prostate Glandular 50 mg Pumpkin Seed 30 mg Damiana Leaves 70 mg Saw Palmetto Berries 50 mg Goldenseal Herb 70 mg Oat Straw 70 mg Nettles Leaves 30 mg Korean Ginseng Root 70 mg B VITAMINS Vitamin B-1 (Thiamine Mononitrate) 30 mg Vitamin B-2 (Riboflavin) (Niacin) Vitamin B-6 (Pyridoxine 30 mg Vitamin B-3 Hydrochloride) 30 mg Vitamin B-12 (Cyanocobalamin) 30 mcg 400 mcg Vitamin Folic Acid SUPPLEMENTS (Cholecalciferol) 200 IU Pantothenic Acid (Calcium d-Panothenate) 30 mg Calcium (Dicalcium Phosphate) 275 mg Phosphorus (Dicalcium Phosphate) 210 mg Iodine (Potassium Iodide) 150 mcg Magnesium (Magnesium Oxide) 100 mg, Maganese (Manganese Gluconate) 5 mg Potassium (Potassium Chloride) 30 mg Chromium (Chromium Picolinate) 50 mcg

> Vitamin K (Phytonadione) 25 mcg Choline (Choline Bitartrate) 10 mg para-Aminobenzoic Acid (PABA) 10 mg In a base of Garlic, Oat Bran, Spirulina, Alfalfa, Parsley, (Sarsaparilla), Lecithin, Watercress, Smilax Cayenne***Pycogenol is a registered trademark of Horphag Research LTD***MADE WITH THE FOLLOWING: FILLERS: Dicalcium Phosphate BINDERS: Cellulose, Povidone, Gelatin, Mannitol COATING: Food Glaze, Cellulose, Wax, Acetoglycerides, Titanium Dioxide, Corn Starch, Caramel, Vanillin, Xanthan EXCIPIENTS: Stearic Acid, Magnesium Stearate, Silica***55545GX 6 98***"

- 4. Partial bottle Cybergenics Quick Trim Complex 3 Dietary Supplement with labeling in part "***CYBERGENICS QUICK TRIM COMPLEX 3 Dietary Supplement 36 Caplets Ingredients: Dicalcium Phosphate, Senna Leaves Powder, Licorice, Microcrystalline Cellulose, Bentonite, Fennel, Buckthorn, Cascara Sagrada, Stearic Acid, Croscarmellose Sodium, Pharmaceutical Glaze, Magnesium Stearate, Silica, Citrus Pectin, Psyllium Seed, Apple Pectin, Carrot Powder, Beet Fiber, Red Clover, Echinacea, Prune Powder, Siberian Ginseng, Ginkgo Biloba, Fenugreek, Acidophilus, Aloe Vera, Chlorophyll. Distributed by L & S Research Corporation, Lakewood, NJ 08701 L & S Research Corporation, U.K., London, England QTY 9LG***DIRECTIONS: Take 4 caplets after the mid-day meal beginning on day 6***EXP 11/97 55679***"
- 5. Partial bottle of Creatine Monohydrate Powder with labeling in part "***100 GM FREE***MAXIMIZE SIZE, STRENGTH & ENDURANCE PROLAB NUTRITION CREATINE MONOHYDRATE Increase Muscle Peak-Torque Production POWDER 100 grams***1/98 EX/00 SK733801 ASSY 99.9% 00043035***PROLAB NUTRITION 11 Britton 06002 Bloomfield, CT (800) PROLAB-1 CREATINE MONOHYDRATE POWDER 100 gm INGREDIENTS: HPLC pharmaceutical grade Creatine Monohydrate. SUGGESTED USE: During the loading phase take one rounded teaspoon (5 grams) 4-5 times per day (20-25 grams total) for 5 days. For maintenance period, take one rounded teaspoon (5 grams) 2-3 times daily. Dissolve in juice or water. Creatine Monohydrate is the most advanced nutritional supplement available for athletes. Research shows an increase in muscle peak torque production (force of contraction), muscle strength and endurance with oral Creatine Monohydrate usage. This may be a result of Creatine Monohydrate's ability to better maintain ATP levels. Creatine users also experienced a decrease in levels of plasma ammonia.***"

- Partial bottle Cybergenics Quick Trim Complex 2 Dietary 6. Supplement with labeling in part "***CYBERGENICS QUICK TRIM COMPLEX 2 Dietary Supplement 56 Caplets***DIRECTIONS: Take 2 caplets prior to the morning meal, and 2 caplets prior to 11/97-55675***Ingredients: meal.***EXP evening Microcrystalline Powder, Whey Phosphate, Dicalcium Cellulose, Pharmaceutical Glaze, Magnesium Oxide, Choline Bitartrate, Croscarmellose Sodium, Brindall Berry Powder, Stearic Acid, Silica, Magnesium Stearate, Inositol, Oat Fiber, d. l. Alpha Tocopheryl Acetate, Ferrous Fumarate, Kelp, Biotin, Niacinamide, Zinc Oxide, Copper Gluconate, D Calcium Panthothenate, Retinyl Palmitate, Betain HCL, Couchgrass Powder, Corn Silk Powder, Hesperidin Complex, Papain, Citrus Pancreatin, Oxbile Extract, Powder, Chromium Lecithin Wheat Bran, Cellulose, Dinicotinate Glycinate, d.l. Methionine, Buchu Extract, Carrot Powder, Pyridoxine HCL, Riboflavin, Thiamine HCL, Bromelain, Cyanocobalamin, Cholecalciferol, Folic Acid, Chromium Picolinate % Daily Value per 4 tablets - Vitamin A 50%, Vitamin D 50%, Vitamin $B^{\tilde{1}}$ 50%, Vitamin B_2 50%, Vitamin B₆ 50%, Pantothenic Acid 50%, Vitamin E 50%, Niacin 50%, Folic Acid 50%, Vitamin B_{12} 50%, Biotin 50%, Vitamine C 50%, Calcium 50, Phosphorus 50%, Iron 50%, Magnesium 50%, Iodine 50%, Copper 50%, Zinc 50%***Distributed by: L&S Research Corporation, Lakewood, NJ 08701***DIABETICS: Use only under a physician's supervision.***"
- 7. Partial bottle Cybergenics Quick Trim Complex 1 Dietary Supplement with labeling in part "***CYBERGENICS QUICK TRIM COMPLEX 1 Dietary Supplement 12 Caplets***DIRECTIONS: Take one caplet directly after your morning meal and one caplet directly after your evening meal. During days 8 thru 13. EXP 11/97-55674***Ingredients: Dicalcium Phosphate, Couchgrass, Microcyrstalline Cellulose, Pharmaceutical Glaze, Stearic Acid, Croscarmellose, Sodium, Yerba Mate, Silica, Magnesium Stearate, Plaintain Powder, Kola Nut Powder, Touchwood, Cinnamon Powder, Atractylodes, Plaintain Seed, Green Tea, Uva Ursi, Green Papaya, Odorless Garlic Distributed by: L&S Research Corporation, Lakewood, NJ 08701***"

On 4-28-98, I interviewed friend of who was with him at the gym the day of his collapse, reported as

follows:

is his best friend. They did just about everything together. Usually, they were together two to

four days a week and on weekends. They worked out six days per week at rotating their workout:

Monday - Chest and triceps
Tuesday - Back and Biceps
Wednesday - Legs
Thursday - Chest and triceps
Friday - Back and Biceps
Saturday - Legs
Sunday - Free day, no workout

On 3-31-98 arrived at the gym approximately 15 to 20 minutes before got to the gym at approximately 4:45 p.m. was working on his second set of dumbbell exercises. went to get a drink of water and turned around and looked for He saw him on the gym floor. He thought had tripped and hit his head. He heard him gasp for breath and ran to truck to get his inhaler. When he got back, people were giving him CPR. had not complained of feeling crappy, tired, or of an asthma attack. He was laughing and talking before went for a drink.

The list of supplements found at the home was shown to the thought usage of these were as follows:

- 1. Creatine did use the Creatine, but he was unsure how much.
- 2. Cybergenics Quick Trim 1 purchased the Cybergenics in 1996, but he did not think had used them recently.
- 3. Cybergenics Quick Trip Quick Time 2 purchased the Cybergenics in 1996, but he did not think was using this one.
- 4. Cybergenics Quick Trim Complex 3 purchased the Cybergenics in 1996, but he did not think he has used them recently.
- 5. GNC Times Release Mega Man thought this supplement was new. He had not seen use it.
- 6. Joe Weider Dynamic Fat Burners thought this supplement might be an old product.
- 7. Chocolate Whey Isolated Glutamine Peptide Protein and used this supplement daily.

stated did use the Ripped Force drink, which is sold at affidavit is attached as Exhibit 5.

On 4-30-98 I interviewed , Manager,

reported the following:

was working at the gym on 3-31-98 when collapsed. and and have been members of the gym for two years, working out six days a week. Mr. has known since he signed him up as a member, approximately two years. He stated he did not know was an asthmatic until after he became use an inhaler. a member but has never seen stated looked fair when he came in to work out on 3-31-98. Mr. stated he had see by the dumb bell rack. He did not see working out. Mr. reported one minute was fine, and the next minute he had collapsed on the floor. Someone came upstairs and passed out. Call 911." He called 911 and ran downstairs to assess the situation. He attempted to check for pulse, could not find a pulse, and was about to start CPR when a nurse came down and told him to get out of the way. The nurse took over and began giving CPR. Another nurse working out at the gym assisted her. Approximately two minutes later, the paramedics arrived. The paramedics bagged shocked him a couple of times, stabilized him, and transported out of the gym.

Mr. stated several food supplements and body building supplements are sold at the gym. No records other than number sold and inventory are maintained. The food supplement and body building supplement shakes are made to order for members by the gym staff. Food supplement drinks such as the Ripped Force drink are offered for sale in the cooler. The member selects the drink and pays the staff member for the drink.

On 4-30-98 I interviewed an employee of Ms.

affidavit is attached as Exhibit 6. Ms. reported the following:

Ms. has known for approximately 1 ½ years, both as a member and socially. always drank a Ripped Force prior to a work out. When he finished his workout, he would have a whey protein shake.

On 3-31-98, the day of his collapse, had no complaints, smiled, and did not look tired. She was not aware of any medications he might have been using.

She remembered running upstairs for inhaler. While was down, the people around him were trying to give him his inhaler. He was on his back, gasping for breath. He looked like he was breathing. A dentist, who was a member, was checking for a pulse. She went upstairs to make sure someone had called 911. A nurse had taken over. The paramedics intubated shocked him, and gave him an IV.

On 5-5-98, I interviewed , M.D., is his patient. His affidavit is attached as Exhibit 8. Dr. reported the following:

Dr. treated Mr. prior to his collapse on 3-31-98 for a knee sprain in 1996. He provided asthma refill prescriptions and examinations in 1995. In 1994 he saw Mr. for a foot contusion and a head cold. Medications which have been prescribed include Ultram, Ventolin, Theo-Dur, Ru-Tuss, Intal, Amoxicillin, Predisone, and Asthmacort. He has not prescribed any pain-killer type medication for Mr.

Mr. probably coded due to an arrhythmic change. Asthma was not a factor in his collapse. Dr. agreed with the diagnosis of the cardiologist, M.D., for Mr. collapse and cardiac arrest.

On 5-4-98, I interviewed

Mr. reported did use an asthma inhaler during workouts for asthma. He stated and routinely worked out 6 days per week. He could not say whether consumed the Ripped Force on days they worked out as they did not work out at the very often. He reported recently the had received a bad shipment of the Ripped Force. It had a sweet taste like a "Tootsie Pop." When he contacted the manufacturer, he was reportedly told it contained extra Ma Haung and he could sell it anyway. He stated the Ripped Force drink is addictive and people who use it will always use it.

On 5-6-98, I interviewed M.D., cardiologist,
Her affidavit
is attached as Exhibit 9. Dr. reports the following:

> lreated Dr. at suffered a cardiac arrest during a work out at a gym. The cardiac arrest was most likely a result of the Ephedrine and Caffeine ingredients of the Ripped Force drink combination with the Theo-Dur and Ventolin medications which caused premature ventricular contractions and ventricular tachycardia, and ventricular fibrillation as a side effect resulting in the cardiac The friend who was with Mr. when he collapsed stated to her was drinking three of the Ripped Force drinks per day. Mr. lab tests were void for drugs, no steroids were found, and no toxicity was found. The opiates which were found in the urine test were a result of morphine sulfate administered during treatment the by the pulmonologist to Mr. day of his collapse.

On 5-8-98, I interviewed

reported the

following:

treated Dr. as part of at his medical care after his collapse during a workout at a Mr. had suffered a permanent neurological injury during cardiac arrest due to the usage of therapeutic medication with the Ripped Force drink with suffered sudden ephinedrine and caffeine. Mr. death and cardiac arrest. Dr. stated sudden death from cardiac arrest is not expected with asthma attacks. There were no toxins or street drugs found in Mr. . lab analysis. The opiates found were morphine given the cardiac arrest. Mr. day of Mr. There were no indications of collapse from asthma. His theophylline asthmatic distress from Mr. blood level was at the therapeutic range.

has been transferred to the

I visited

and
his parents on 5-26-98 to obtain

affidavit. Mr. is now ambulatory and can feed himself. He does not remember his friends and has to be reminded who they are when his friends visit. He is now able to swallow and can feed himself. He recognizes his parents but his not able to pick them out of photographs. Doctors and family report Mr. will have long term rehabilitation theraphy.

EXHIBITS

1	-	Copy of Ripped Force label provided to the hospital by					
		friends of the patient					
2	_	Copy of MEDWATCH completed by					
3	-	Copy of the medical records for the patient					
4	_	affidavit					
5	_	Copy of medical records for from					
_		M.D.					
6	_	affidavit dated					
7		affidavit dated 5-10-98					
,	_	, M.D., affidavit dated 5-19-98					
8	-	, M.D., allitavit dated 5-10-00					
9	-	, M.D., affidavit dated 5-20-98					
10	-	M.D., affidavit					
11	_	Medical Authorization Released signed by					
		mother of patient					
		mother of patients					
		Margaret A Smiller					
		Margaret A. Smithers, 264					
		Investigator,					

Pra # 12851



DEPARTMENT OF HEALTH & HUMAN SERVICES U.S. PUBLIC HEALTH SERVICE

U.S. FOOD & DRUG ADMINISTRATION

MEMORANDUM

DATE

July 23, 1998

To

: Brenda Aloi, HFS-636

CFSAN

Thru

: Robert R. Wilson, Supervisory Investigator

KAN-DO

Firm:

FROM

: Margaret A. Smithers, Investigator

SUBJECT: KAN-6540 Additional Medical Reports Requested

Attached are the physician's official transfer note/discharge summary from copy of the in-take history and physical records and dismissal summary from is presently an outcomplainant, Mr. patient at

EXHIBITS

1 -Copy of transfer note/discharge summary from

Copy of in-take history and physical records, 2 -

3 -Copy of dismissal summary,

> Margaret A. Smithers, 264 Investigator,

DATE: 7/24/48 To: Branda aloi, HF5-636 CFSAN

Per your request the records are attached.

O: addressee - Aloi HF5-636 (all)

Ce: KAN-6540 File (all)

Ce: DI- 10001

ce: R/F (all) ce.

000022



DEPARTMENT OF HEALTH & HUMAN SERVICES U.S. PUBLIC HEALTH SERVICE U.S. FOOD & DRUG ADMINISTRATION

MEMORANDUM

DATE

July 24, 1998

To

Rich Pendleton, Compliance Officer

Kansas District Office

Thru

Bob Wilson, Supervisory Investigator

Kansas District Office

Firm:

CFN:

FROM

Margaret A. Smithers, Investigator

SUBJECT: Amendment Memo 98-688-719, Ripped Force

The following is the labeling for Sub 8, Ripped Force:

Sub 8. The Ripped Force labels in part "***Manufactured and Distributed by: AMERICAN BODY BUILDING PRODUCTS Walterboro, SC USA 29488 1-800-627-0627***Phenylketonurics: Contains phenylalanine***Diabetic/Hypoglycemics: Use only under a

DATE: Aug 12, 1998 To: BrendA ALOI/CFSAN/HFS-636

Please ATTACH as a continuation to GR 98-688-719.

80: 6V 81 9NV 86.

D: Addressee

& REVIEW/OSN HFS-455 CLINICAL RESEARCH RECEIVED Memo - Amendment to CR 98-688-719, Ripped Force

Date - 7-24-98 Page 2

> physician's supervision *** Directions: Begin drinking RIPPED FORCE 20 minutes before your workout and continue to sip during the workout. Finish drinking 15 minutes before training is completed. ***Supplement Facts Serving Size 1 Bottle (532 ML/18 FL. OZ) Amount Per Serving Calories 90 Total Fat 0 g Total Carbohydrate 23 g Sugars 12 g Protein Og Vitamin C (as ascorbic acid) 2 mg Niacin 10 mg Phosphorus (as phosphoric acid from maltodextrin) 60 mcg Chromium (as picolinate) 200 mcg Sodium (from water, maltodextrin and flavor) 65 mg Potassium (assorbate, benzoate and gluconate, from maltodextrin) 90 mg Ma Haung, 6% Ephedrine (Ephedra sinica) (leaf) 340 mg Guarana, 10% Caffeine (Paullinia Cupana) (fruit) 1,000 mg L-Carnitine 250 mg***INGREDIENTS: WATER, MALTODEXTRIN, HIGH FRUCTOSE CORN SYRUP, CRYSTALLINE FRUCTOSE, NATURAL AND ARTIFICIAL FLAVORS (FLAVORS, MODIFIED FOOD STARCH, GLYCEROL ESTERS OF WOOD ROSIN, BROMINATED VEGETABLE OILO, GUARANA, CITRIC ACID, MA HUANG, L-CARNITINE, PHOSPHORIC ACID, POTASSIUM BENZOATE AGENT), POTASSIUM (ANTIMICROBIAL SORBATE POTASSIUM (PRESERVATIVE), ASPARTAME, ASCORBIC ACID, GLUCONATE, NIACIN, INOSITOL, CHOLINE CHLORIDE, CHROMIUM PICOLINATE. * * * "

> > Margaret A. Smithers, 264

Investigator,

TO: Lori Love, M.D., Ph.D.

FROM: Constance J. Hardy

DATE: 7/8/99

SUBJECT: ARMS 12851

This memo pertains to additional information concerning Adverse Event 12851 which involved the reported use of several dietary supplements including Ripped Force. In the adverse event file there is no indication as to how the Ripped Force photocopied labels of Sample Number 98-688-719 were obtained; consequently Ms. Smithers, KAN-DO investigator for AER 12851 was asked several questions via telephone to provide additional information. Ms. Smithers clarified that Exhibit 1, a blown-up partial copy of a label was provided from the friends of the AER 12851 consumer Mr. (22 year old male). This label did not come from a bottle that Mr. had consumed. Rather, it was a product bottle label unrelated to Mr. his friends were very familiar with his use of the product during his workouts at the gym. The second blown-up photocopied label of Ripped Force was obtained from a bottle provided by (where the adverse event occurred and where Ripped Force could be purchased) to Mr. David Foran (913-752-2163), also a KAN-DO investigator.